

材質	S S 4 0 0												
圧力	5K					10K						16K	
形状	S O P			(ナミ)	B L	S O P			(ナミ)	B L		SOP	BL
呼び径	FF	RF	LJ	正	FF	FF	RF	LJ	正	FF	RF	FF/RF	FF/RF
10A	0.26				0.28	0.51	0.51			0.53		0.51	0.53
15A	0.30			0.30	0.32	0.56	0.56	0.56	0.56	0.60	0.60	0.56	0.60
20A	0.36			0.36	0.41	0.72	0.72	0.72	0.72	0.79	0.79	0.72	0.79
25A	0.45			0.45	0.52	1.12	1.12	1.12	1.12	1.22	1.22	1.13	1.22
32A	0.77			0.77	0.91	1.47	1.47	1.47	1.47	1.66	1.66	1.46	1.66
40A	0.82		0.82	0.82	1.00	1.55	1.55	1.55	1.55	1.79	1.79	1.56	1.79
50A	1.06		1.06	1.06	1.38	1.86	1.86	1.86	1.86	2.23	2.23	1.70	2.09
65A	1.48	1.48	1.48	1.48	2.00	2.58	2.58	2.58	2.58	3.24	3.24	2.40	3.08
80A	1.97	1.97	1.97	1.97	2.67	2.58	2.58	2.58	2.58	3.48	3.48	3.50	4.41
90A	2.08				2.99	2.73			2.73	3.90			
100A	2.35	2.35	2.35	2.35	3.66	3.10	3.10	3.10	3.10	4.57	4.57	4.50	6.29
125A	3.20	3.20	3.20	3.20	5.16	4.73	4.73	4.73	4.73	7.18	7.18	6.50	9.21
150A	4.39	4.39	4.39	4.39	7.47	6.30	6.30	6.30	6.30	10.10	10.10	8.70	12.70
175A	5.42				9.52	6.75				11.80			
200A	6.24	6.24	6.24	6.24	12.10	7.46	7.46	7.46	7.46	13.90	13.90	10.90	18.40
225A	6.57				13.90	7.70				15.80			
250A	9.39	9.39	9.39	9.39	19.20	11.80	11.80	11.80	11.80	22.60	22.60	18.00	30.40
300A	10.20	10.20	10.20	10.20	24.20	12.60	12.60	12.60	12.60	27.80	27.80	21.50	40.50
350A	14.00	14.00	14.00		33.00	16.30	16.30	16.30		36.90	36.90	30.80	57.50
400A	16.90	16.90	16.90		41.70	23.30	23.30	23.30		52.10	52.10	42.80	81.70
450A	21.40	21.40			52.70	29.30	29.30			68.40	68.40	55.10	107.00
500A	23.00	23.00			61.60	33.30	33.30			81.60	81.60	65.10	132.00
550A	30.10				80.80	42.90	42.90			105.00	105.00	77.90	
600A	32.50	32.50			92.70	45.40	45.40			120.00	120.00	86.00	192.00
650A	35.60				106.00	51.80	51.80			144.00			
700A	38.00				120.00	60.00	60.00			176.00			
750A	48.40				150.00	73.00	73.00			214.00			
800A	51.20				167.40	76.00	76.00			249.00			
850A	53.90				185.10	80.70	80.70			248.80			
900A	60.70				218.10	89.40	89.40			288.40			
950A													
1000A	70.10				277.30	109.20	109.20			367.70			
1050A													
1100A	81.70				331.90	131.60				460.00			
1200A	102.0				417.80	163.50				572.20			
1350A	115.9					204.70				769.00			
1500A	157.4					250.20				974.90			

単重表

2021年9月21日

No2

材質	S S 4 0 0										材質		
圧力	2K		20K			上水(F12)		船用	NDS-5K	NDS10K	真空フランジ		圧力
形状	SOP	BL	S O P		BL	SOP	BL	排ガス F7805	SOP		PL	BL	形状
	FF		FF/RF	LJ	FF/RF	FF/RF			FF		VF		
呼び径													呼び径
10A			0.58		0.59								10A
15A			0.65		0.67				0.25	0.36			15A
20A			0.80		0.86				0.31	0.54	0.26	0.29	20A
25A			1.25		1.34				0.34	0.58	0.32	0.37	25A
32A			1.57		1.73				0.60	0.77			32A
40A			1.66		1.87				0.64	0.82	0.51	0.64	40A
50A			1.89	1.89	2.20				0.95	1.17	0.62	0.83	50A
65A			2.60	2.60	3.24				1.22	1.51			65A
80A			3.80	3.80	4.63	3.90	4.80		1.25	2.00	1.23	1.79	80A
90A			4.40		5.67								90A
100A			4.90	4.90	6.61	4.60	6.10		1.76	2.64	1.47	2.39	100A
125A			7.80	7.80	10.50	5.80	8.30		2.82	3.35	1.72	3.08	125A
150A			10.10	10.10	14.40	7.40	11.20		3.82	4.40	1.95	3.86	150A
175A									4.31	6.35			175A
200A			12.60		20.80	9.10	15.40		4.75		4.03	8.40	200A
225A													225A
250A			21.90		36.20	13.60	24.40		7.93		4.76	11.44	250A
300A			25.80		47.40	16.20	31.00				5.46	14.94	300A
350A			36.20		66.10	23.60	44.30				8.87	23.64	350A
400A			51.70		97.00	28.40	53.40				12.28	31.57	400A
450A	19.90	48.80	66.10		126.00	35.60	72.30						450A
500A	21.50	57.10	77.40		155.00	40.00	85.00						500A
550A	28.20	75.20	92.20		190.00			11.50					550A
600A	30.40	86.30	101.10		223.00	49.90	119.80	11.85					600A
650A	33.50	99.10						12.65					650A
700A	35.80	111.80				67.10	167.40	15.00					700A
750A	43.00	130.30						15.00					750A
800A	45.40	144.70				81.90	220.80	15.70					800A
850A	47.80	159.90						16.50					850A
900A	50.10	175.80				106.20	293.40	21.50					900A
950A								23.40					950A
1000A	58.90	226.90				125.40	363.10	23.50					1000A
1050A								26.32					1050A
1100A	67.90	271.20				147.10		26.74					1100A
1200A	79.70	321.20				168.60							1200A
1350A	90.50												1350A
1500A	109.60												1500A

単重表

2021年9月21日

No3

材質	S S 4 0 0																				材質		
	亜鉛メッキ(ZN)																						
圧力	5 K				10 K						F12			20 K						圧力			
形状	SOP		SOP	BL	SOP				SOP		BL		SOP		BL	SOP			SOP		BL	形状	
	FF	LJ	FF	FF	FF	RF	LJ	(ナミ)	FF	RF	FF	RF	FF	RF	FF	FF	RF	LJ	FF	RF	RF		
呼び径		(ルース)	(ハンガス)				正	(ハンガス)										(ハンガス)			呼び径		
10A					0.51		0.51				0.53										0.59	10A	
15A	0.30		0.30	0.32	0.56	0.56	0.56	0.56	0.56		0.60	0.60					0.65	0.65	0.65			0.67	15A
20A	0.36		0.36	0.41	0.72	0.72	0.72	0.72	0.72		0.79	0.79					0.80	0.80	0.80			0.86	20A
25A	0.45	0.45	0.45	0.52	1.12	1.12	1.12	1.12	1.12		1.22	1.22					1.25	1.25	1.25			1.34	25A
32A	0.77	0.77	0.77	0.91	1.47	1.47	1.47	1.47	1.47		1.66	1.66					1.57	1.57	1.57			1.73	32A
40A	0.82	0.82	0.82	1.00	1.55	1.55	1.55	1.55	1.55		1.79	1.79					1.66	1.66	1.66			1.87	40A
50A	1.06	1.06	1.06	1.38	1.86	1.86	1.86	1.86	1.86	1.86	2.23	2.23					1.89	1.89	1.89			2.20	50A
65A	1.48	1.48	1.48	2.00	2.58	2.58	2.58	2.58	2.58	2.58	3.24	3.24					2.60	2.60	2.60	2.60	2.60	3.24	65A
80A	1.97	1.97	1.97	2.67	2.58	2.58	2.58	2.58	2.58	2.58	3.48	3.48	3.90	3.90	4.80		3.80	3.80	3.80	3.80	3.80	4.63	80A
90A																							90A
100A	2.35	2.35	2.35	3.66	3.10	3.10	3.10	3.10	3.10	3.10	4.57	4.57	4.60	4.60	6.10		4.90	4.89	4.90	4.90	4.90	6.61	100A
125A	3.20	3.20	3.20	5.16	4.73	4.73	4.73	4.73	4.73	4.73	7.18	7.18	5.80				7.80	7.80	7.80	7.80	7.80	10.50	125A
150A	4.39	4.39	4.39	7.47	6.30	6.30	6.30	6.30	6.30	6.30	10.11	10.10	7.40	7.40	11.20		10.10	10.10	10.10	10.10	10.10	14.40	150A
200A	6.24	6.24	6.24	12.10	7.46	7.46	7.46	7.46	7.46	7.46	13.91	13.90	9.10	9.10	15.40		12.60	12.60	12.60	12.60	12.60	20.80	200A
250A	9.39	9.39	9.39	19.20	11.80	11.80	11.80	11.80	11.80	11.80	22.60	22.60	13.60	13.60	24.40		21.90	21.90	21.90	21.90	21.90	36.20	250A
300A	10.20	10.20	10.20	24.20	12.60	12.60	12.60	12.60	12.60		27.80	27.80	16.20	16.20	31.00		25.80	25.80	25.80	25.80	25.80	47.40	300A
350A	14.00	14.00	14.00	33.00	16.30	16.30	16.30		16.30		36.91		23.60				36.20	36.20		36.20		66.10	350A
400A	16.90	16.90	16.90	41.70	23.30	23.30	23.30		23.30		52.11		28.40				51.70	51.70					400A
450A	21.40			52.70	29.30		29.30		29.30		68.40												450A
500A	23.00			61.60	33.30		33.30		33.30		81.60												500A
550A	30.10			80.80																			550A
600A	32.50			92.70	45.40						120.0												600A
650A																							650A
700A																							700A
750A																							750A
800A																							800A

# 単重表

2021年9月21日

No4

材質	S 2 5 C																								
圧力	5K	10K				16K			20K					30K				40K				63K			
形状	SOH	SOP	SOH	WN-RF	BL	SOP	SOH	BL	SOP		SOH-RF	WN-RF	BL-RF	PL	SOH-RF	WN-RF	BL	PL	SOH	WN-RF	BL	PL	WN-RF	BL-RF	
呼び径	FF	FF/RF		S40 S80	FF/RF	FF/RF	FF	FF/RF	FF/RF	LJ	(A)(B)(C)	S40 S80	RF	RF	(A)(B)(C)	S40 S80	RF	RF	RF	S40 S80	RF	RF	S40 S80	BL-RF	
10A							0.52		0.58		0.58				1.00		1.00					1.20			1.70
15A		0.56		0.45	0.60	0.56	0.58	0.60	0.65		0.65	0.98	0.67	1.20	1.24	1.33	1.25	1.30	1.29	1.50	1.40	1.80	1.90	1.90	
20A		0.72		0.67	0.79	0.72	0.75	0.79	0.80		0.81	1.07	0.86	1.30	1.36	1.45	1.38	1.50	1.46	1.70	1.60	2.40	2.50	2.50	
25A		1.12		0.69	1.22	1.13	1.16	1.22	1.25		1.27	1.41	1.34	1.70	1.77	1.92	1.84	1.90	1.89	2.20	2.10	2.70	3.50	2.90	
32A		1.47		0.68	1.66	1.46	1.53	1.66	1.57		1.58		1.73	2.20	2.17	2.39	2.32	2.40	2.31	2.80	2.70	3.40	3.70	3.80	
40A		1.55		1.21	1.79	1.56	1.64	1.79	1.66		1.68	2.27	1.87	2.90	2.82	3.09	3.00	3.10	3.05	3.50	3.50	5.10	5.50	5.60	
50A		1.86		1.81	2.23	1.70	1.83	2.09	1.89	1.89	1.89	2.39	2.20	2.80	2.89	3.24	3.14	3.30	3.29	4.10	3.90	5.50	6.50	6.30	
65A		2.58		2.82	3.24	2.40	2.58	3.08	2.60	2.60	2.73	3.54	3.24	4.80	4.88	5.70	5.50	5.50	5.53	6.90	6.60	5.80	10.30	7.20	
80A		2.58		3.40	3.48	3.50	3.61	4.41	3.80	3.80	3.85	4.85	4.63	5.60	5.70	6.72	6.63	6.40	6.41	7.90	8.00	9.90	12.40	11.90	
90A					3.90	3.70		4.92	4.40		4.47		5.67	7.00			8.55							15.40	
100A		3.10		4.35	4.57	4.50	4.87	6.29	4.90	4.90	5.03	7.84	6.61	7.80	8.01	9.41	10.00	9.90	10.11	12.30	12.90	14.70	17.70	18.30	
125A		4.73		6.31	7.18	6.50	7.09	9.21	7.80	7.80	7.94	10.79	10.50	11.40	11.60	14.00	15.30	15.90		20.00	20.80	23.80	27.60	30.00	
150A		6.30		8.56	10.10	8.70	9.57	12.70	10.10	10.10	10.40	14.12	14.40	16.30	17.00	20.30	22.20	23.20		30.60	30.80	30.90		40.20	
200A		7.46		10.73	13.90	10.90	12.00	18.40	12.60		13.10	21.92	20.80	21.10	22.20	27.20	32.60	32.10			46.80	44.60		62.30	
250A		11.80	12.70		22.60	18.00	20.10	30.40	21.90		23.10		36.20	35.00	36.80	45.30	55.20	48.60			73.80			97.70	
300A		12.60	13.80		27.80	21.50	24.30	40.50	25.80		27.20		47.40	47.00	49.10		77.90				99.40			138.10	
350A		16.30	18.20		36.90	30.80	34.40	57.50	36.20		38.40		66.10	56.60	60.40		96.90				126.10			172.90	
400A		23.30	25.80		52.10	42.80	47.40	81.70	51.70		53.90		97.00	76.90	82.00		136.00				170.00			236.50	
450A	24.90	29.30	33.40		68.40	55.10	61.80	107.00	66.10		71.00		126.00												
500A	27.00	33.30	38.00		81.60	65.10	73.70	132.00	77.40		84.60		155.00												
550A	34.50	42.90	49.40		105.00	77.90	87.90		92.20		102.00		190.00												
600A	37.80	45.40	52.60		120.00	86.00	98.40	192.00	101.10		115.00		223.00												
650A	43.20		60.20																						
700A	45.90		70.20																						
750A	57.70		86.50																						
800A	61.30		92.00																						
850A	65.30		98.70																						
900A	73.10		110.00																						
1000A	84.80		133.00																						
1100A	105.00		164.11																						
1200A	129.00		190.42																						

# 単重表

2021年9月21日

No5

材質	S 2 5 C															材質	
圧力	JPI 150LB							JPI 300LB								圧力	
形状	SOH-FF	LJ	SW-RF		WN-RF		BL-FF	SOH-RF	SW-RF		WN-RF	WN-RF	WN-RTJ		BL-RF	BL-RTJ	形状
呼び径	RF	(ルース)	S40 S80	S160	S40 S80	S160	RF		S40 S80	S160	S40 S80	S160	S40 S80	S160			呼び径
15A	0.41	0.46	0.42	0.42	0.51	0.51	0.43	0.65	0.67	0.67	0.77	0.77	0.77	0.77	0.65	0.65	15A
20A	0.59	0.65	0.60	0.60	0.76	0.76	0.64	1.11	1.14	1.14	1.30	1.31	1.30	1.30	1.11	1.11	20A
25A	0.79	0.86	0.81	0.81	1.07	1.07	0.87	1.39	1.44	1.44	1.68	1.68	1.68	1.68	1.43	1.43	25A
32A	1.03	1.10		1.06	1.39	1.39	1.16	1.70	1.74	1.77	2.14	2.14	2.14	2.14	1.83	1.83	32A
40A	1.36	1.43	1.39	1.39	1.84	1.84	1.58	2.51	2.60	2.60	3.03	3.03	3.03	3.03	2.69	2.69	40A
50A	2.10	2.20	2.15		2.74	2.74	2.47	2.91	3.00		3.59	3.59	3.59	3.59	3.22	3.22	50A
65A	3.25	3.40			4.28	4.28	4.00	4.22			5.32	5.32	5.32	5.32	4.86	4.86	65A
80A	3.87	4.00			5.20	5.20	4.95	5.88			7.28	7.28	7.28	7.28	6.83	6.83	80A
100A	5.38	5.55			7.45	7.45	7.09	9.73			11.90	11.91	11.90		11.60		100A
125A	6.29	6.43			9.62		8.72	12.50			16.20		16.20		15.80		125A
150A	7.77	7.89			12.10		11.40	16.20			21.20		21.20		21.30		150A
200A	12.40	12.60			20.10		19.60	24.80			32.90		32.90		34.60		200A
250A	17.60	17.80			28.00		29.10	35.50			47.40				54.00		250A
300A	27.70	28.10			43.50		43.80	51.00			69.00				79.00		300A
350A	35.30				58.00		59.00	70.00							106.00		350A
400A	44.90				72.00		77.00	90.00							139.00		400A
450A	49.30				88.00		94.00	109.00							175.00		450A
500A	63.00				111.00		123.00	135.00							221.00		500A
550A	73.00																550A
600A	89.00				159.00		188.00	204.00							314.00		600A



単重表

2021年9月21日

No6

材質	S 2 5 C																			材質
圧力	JPI 600 LB									JPI 900 LB					JPI 1500 LB					圧力
形状	SOH	SW-RF		WN-RF		WN-RTJ		BL		SOH-RF	WN-RF	WN-RTJ	BL		SOH	WN-RF	WN-RTJ	BL		形状
呼び径	RF	S40 S80	S160	S40 S80	S160	S80	S160	RF	RTJ		S80 S160	S80 S160	RF	RTJ	RF	S80 S160	S80 S160	RF	RTJ	呼び径
15A	0.74	0.74	0.74	0.88	0.88	0.88	0.88	0.76	0.76	1.78	1.92	1.92	1.81	1.81	1.78	1.92	1.92	1.81	1.81	15A
20A	1.26	1.26	1.26	1.46	1.46	1.46	1.46	1.28	1.28	2.32	2.57	2.57	2.43	2.43	2.34	2.57	2.57	2.43	2.43	20A
25A	1.56	1.56	1.56	1.87	1.87	1.87	1.87	1.65	1.65	3.43	3.74	3.74	3.56	3.56	3.42	3.74	3.74	3.56	3.56	25A
32A	2.04	2.04	2.04	2.52	2.52	2.52	2.52	2.26			4.36	4.36	4.16	4.16	3.92	4.36	4.36	4.16	4.16	32A
40A	2.98	2.98	2.98	3.54	3.54	3.54	3.54	3.28	3.28	5.40	6.02	6.02	5.80	5.80	5.40	6.02	6.02	5.80	5.80	40A
50A	3.65	3.65	3.65	4.40	4.40	4.40	4.40	4.16	4.16	9.92	11.10	11.10	10.20	10.20	9.98	11.10	11.10	10.20	10.20	50A
65A	5.11	5.11		6.33	6.33	6.33	6.33	6.09	6.09	13.40	14.90	14.90	13.91	13.91	13.40	14.90	14.90	13.90	13.90	65A
80A	7.11	7.11		8.69	8.69	8.69	8.69	8.57	8.57	11.70	13.90	13.90	13.20	13.20		20.10	20.10	19.30	19.30	80A
100A	14.70			17.70	17.70	17.70	17.70	17.50	17.50	19.70	22.70	22.70	22.10	22.10		31.60	31.60	29.90		100A
125A	24.60			29.50	29.50	29.50	29.50	29.40		32.20			36.60	36.60				59.00		125A
150A	29.50			35.70	35.70	35.70	35.70	36.40	36.40	41.90			47.70	47.70				72.00		150A
200A	44.20			55.00	55.00	55.00	55.00	59.00	59.00				83.00	83.00						200A
250A	73.00			91.00		91.00		98.00					122.00	122.00						250A
300A	87.00			110.00		110.00		125.00					174.00	174.00						300A
350A	100.00							152.00												350A
400A	137.00							214.00												400A
450A																				450A
500A																				500A
550A																				550A
600A																				600A



# ステンレス単重表

2021年9月21日

No7

材質	S U S F 3 0 4																							材質		
圧力	5K			10K						16K	20K						2K	上水(F12)			150LB		300LB		圧力	
形状	SOP	BL	SO	SOP			BL		SO	SOP	SOP		SOH		BL		SOP	BL	SOP		BL	SOH	BL	SOH	BL	形状
	FF	FF	PT	FF	RF	LJ	FF	RF	PT	FF	FF	RF	RF	RF	FF	RF	FF	FF	FF	RF	FF	RF		RF		
呼び径			(STF)						(STF)				(A)	(C)												呼び径
10A	0.26	0.28		0.51	0.51		0.53	0.53			0.58	0.58			0.59	0.59										10A
15A	0.30	0.32	0.31	0.56	0.56	0.56	0.60	0.60	0.58		0.65	0.65	0.65		0.67	0.67					0.41	0.43	0.65	0.65	15A	
20A	0.36	0.41	0.39	0.72	0.72	0.72	0.79	0.79	0.75		0.80	0.80	0.81		0.86	0.86					0.59	0.64	1.11	1.11	20A	
25A	0.45	0.52	0.50	1.12	1.12	1.12	1.22	1.22	1.17		1.25	1.25	1.27		1.34	1.34					0.79	0.87	1.39	1.43	25A	
32A	0.77	0.91	0.84	1.47	1.47	1.47	1.66	1.66	1.54		1.57	1.57	1.58		1.73	1.73					1.03	1.16	1.70	1.83	32A	
40A	0.82	1.00	0.91	1.55	1.55	1.55	1.79	1.79	1.65		1.66	1.66	1.68		1.87	1.87					1.36	1.58	2.51	2.69	40A	
50A	1.06	1.38	1.20	1.86	1.86	1.86	2.23	2.23	1.99	1.70	1.89	1.89	1.89		2.20	2.20					2.10	2.47	2.91	3.22	50A	
65A	1.48	2.00	1.74	2.58	2.58	2.58	3.24	3.24	2.79	2.40	2.60	2.60	2.73	2.73	3.24	3.24					3.25	4.00	4.22	4.86	65A	
80A	1.97	2.67	2.35	2.58	2.58	2.58	3.48	3.48	2.90	3.50	3.80	3.80	3.85	3.85	4.63	4.63			3.90	3.90	4.80	3.87	4.95	5.88	6.83	80A
90A	2.08	2.99		2.73			3.90																			90A
100A	2.35	3.66	2.99	3.10	3.10	3.10	4.57	4.57	3.70	4.50	4.90	4.90	5.03	5.03	6.61	6.61			4.60	4.60	6.10	5.38	7.09	9.73	11.80	100A
125A	3.20	5.16		4.73	4.73	4.73	7.18	7.18		6.50	7.80	7.80	7.94	7.94	10.50	10.50			5.80	5.80	8.30	6.29	8.72	12.50	15.80	125A
150A	4.39	7.47		6.30	6.30	6.30	10.10	10.10		8.70	10.10	10.10	10.40	10.40	14.40	14.40			7.40	7.40	11.20	7.77	11.40	16.20	21.30	150A
200A	6.24	12.10		7.46	7.46	7.46	13.90	13.90		10.90	12.60	12.60	13.10	13.10	20.80	20.80			9.10	9.10	15.40	12.40	19.60	24.80	34.60	200A
250A	9.39	19.20		11.80	11.80	11.80	22.60	22.60		18.00	21.90	21.90	23.10	23.10	36.20	36.20			13.60	13.60	24.40	17.60	29.10	35.50	54.00	250A
300A	10.20	24.20		12.60	12.60	12.60	27.80	27.80		21.50	25.80	25.80	27.20	27.20	47.40	47.40			16.20	16.20	31.00	27.70	43.80	51.00	79.00	300A
350A	14.00	33.00		16.30	16.30	16.30	36.90	36.90			36.20			38.40	66.10				23.60	23.60	44.30	35.30	59.00	70.00		350A
400A	16.90	41.70		23.30	23.30		52.10	52.10			51.70	51.70			97.00				28.40	28.40	53.40	44.90	77.00	90.00		400A
450A	21.40	52.70		29.30			68.40	68.40			66.10	66.10					19.90	48.80	35.60			49.30	94.00	109.00		450A
500A	23.00	61.60		33.30	33.30		81.60	81.60			77.40						21.50	57.10	40.00		85.00	63.00	123.00	135.00		500A
550A	30.10	80.80		42.90	42.90		105.00										28.20									550A
600A	32.50	92.70		45.40			120.00				101.1						30.40	86.30	49.90			89.00	188.00	204.00		600A
650A	35.60	106.00		51.80			144.00										33.50	99.10								650A
700A	38.00	120.00		59.00			166.00										35.80	111.80	67.10	67.10						700A
750A	48.40	150.00		72.80													43.00	130.30								750A
800A	51.20	167.40		76.00			224.50										45.40	144.70								800A
850A	53.90			80.70																						850A
900A	60.70			89.40			288.40										50.10	175.80								900A
1000A	70.10			109.20			367.70										58.90									1000A

# ステンレス単重表

2021年9月21日

No8

材質	S U S 3 1 6									S U S 3 1 6 L									材質		
	5K		10K				150		300	5K		10K				16K	150LB		300LB	圧力	
形状	SOP	BL	SOP		BL		SO	BL	SO	SOP	BL	SOP		BL		PL	SOH		BL	SOH	形状
	FF		FF	RF	FF	RF	RF		RF	FF		FF	RF	FF	RF	FF	RF	LJ	RF	RF	
呼び径																					呼び径
10A			0.51							0.26	0.28	0.51	0.51	0.53							10A
15A	0.30	0.32	0.56	0.56	0.60	0.60	0.41	0.43	0.65	0.30	0.32	0.56	0.56	0.60	0.60		0.41		0.43	0.65	15A
20A	0.36	0.41	0.72	0.72	0.79	0.79	0.59	0.64	1.11	0.36	0.41	0.72	0.72	0.79	0.79		0.59		0.64	1.11	20A
25A	0.45	0.52	1.12	1.12	1.22	1.22	0.79	0.87	1.39	0.45	0.52	1.12	1.12	1.22	1.22		0.79		0.87	1.39	25A
32A	0.77	0.91	1.47	1.47	1.66	1.66				0.77	0.91	1.47		1.66							32A
40A	0.82	1.00	1.55	1.55	1.79	1.79	1.36	1.58	2.51	0.82	1.00	1.55	1.55	1.79	1.79		1.36		1.58	2.51	40A
50A	1.06	1.38	1.86	1.86	2.23	2.23	2.10	2.47	2.91	1.06	1.38	1.86	1.86	2.23	2.23		2.10		2.47	2.91	50A
65A	1.48	2.00	2.58	2.58	3.24	3.24	3.25		4.22	1.48	2.00	2.58	2.58	3.24		2.40	3.25			4.22	65A
80A	1.97	2.67	2.58	2.58	3.48	3.48	3.87	4.95	5.88	1.97	2.67	2.58	2.58	3.48	3.48	3.50	3.87		4.95	5.88	80A
90A																					90A
100A	2.35	3.66	3.10	3.10	4.57	4.57	5.38	7.09		2.35	3.66	3.10	3.10	4.57	4.57		5.38		7.09	9.73	100A
125A	3.20	5.16	4.73	4.73	7.18	7.18				3.20	5.16	4.73	4.73	7.18	7.18		6.29		8.72		125A
150A	4.39	7.47	6.30	6.30	10.10		7.77			4.39	7.47	6.30	6.30	10.10	10.10		7.77	7.77	11.40		150A
200A	6.24	12.10	7.46	7.46	13.90	13.90	12.40			6.24	12.10	7.46	7.46	13.90	13.90		12.40		19.60		200A
250A	9.39	19.20	11.80	11.80	22.60		17.60			9.39	19.20	11.80	11.80	22.60			17.60		29.10		250A
300A	10.20	24.20	12.60	12.60	27.80	27.80				10.20	24.20	12.60	12.60	27.80	27.80		27.70				300A
350A	14.00	33.00	16.30	16.30	36.90					14.00	33.00	16.30	16.30	36.90			35.30		59.00		350A
400A	16.90	41.70	23.30	23.30	52.10					16.90	41.70	23.30	23.30	52.10							400A
450A	21.40	52.70	29.30		68.40					21.40	52.70	29.30		68.40							450A
500A	23.00	61.60	33.30		81.60					23.00	61.60	33.30		81.60							500A
550A			42.90							30.10											550A
600A	32.50	92.70	45.40		120.00					32.50	92.70	45.40		120.00							600A
650A																					650A
700A																					700A
800A																					800A